

DECLARATION OF COMPLIANCE

Description	Material	Article Number
Lids	RPET (100 % PCR*)	188062

*100 % post-consumer recycled (PCR) PET

Duni declares that the article meets the requirements of:

- Article 3, 11(5), 15 and 17 of Regulation (EC) No 1935/2004 (Framework regulation)
- EU Regulation 2023/2006/EC (GMP)
- EU Regulation 10/2011/EC with amendments (Plastic regulation)
- EU Regulation 1616/2022 (Recycled plastic)¹

Overall migration (1)

According to the regulations listed above, the overall migration does not exceed 10 mg/dm² or 60 mg/kg.

Specific migration (2)

This article contains monomers or additives subject to restrictions under the plastic regulation 10/2011 and its amendments. A specific migration test proves that these are within the limits. If more information regarding the monomers or additives are needed please contact Duni Group.

Area of use

Based on the migration tests and Declaration of Compliance in Duni's possession, the articles can be used safely with all types of foods, serving cold and warm up to 70°C for maximum 2 hours. Be aware at temperatures close to 70°C the sturdiness of the plastic is affected and may deform.

The product is not suitable for heating in microwave oven.

The articles can be used for long term storage in ambient and chilled conditions.

¹ The material used to make the 100 % post-consumer recycled (PCR) PET products originates from a mechanical polyethylene terephthalate (PET) recycling processes seen as a "suitable technology" as defined in regulation (EU) 2022/1616. The recyclers and/or recycling installation have applied for an authorisation to European Food Safety Authority (EFSA) before 10 July 2023 and may therefore be placed on the market.

Test conditions

Migration tests on the material of the article performed by an independent institute showed that under the following test conditions overall migration (1) and specific migration (2) fall below the respective limits given by regulation 10/2011.

Overall migration

<i>10 % Ethanol</i>	<i>4 hours at reflux temperature, total immersion</i>
<i>3% Acetic acid</i>	<i>4 hours at reflux temperature, total immersion</i>
<i>Olive oil</i>	<i>2 hours at 175°C, total immersion</i>

Specific migration

<i>10 % Ethanol</i>	<i>2 hours at reflux temperature, total immersion</i>
<i>3% Acetic acid</i>	<i>2 hours at reflux temperature, total immersion</i>
<i>Olive oil</i>	<i>0,5 hours 200°C, total immersion</i>

Specific migration of metals

<i>3% Acetic acid</i>	<i>4 hours at reflux temperature, total immersion</i>
-----------------------	---

Specific migration of PAA

<i>3% Acetic acid</i>	<i>4 hours at 100°C</i>
-----------------------	-------------------------

A surface to volume ratio of 10-12 dm²/kg is used to determine compliance of the material.

No substances of dual use are present in the product.

According to the document in our possession, Primary Aromatic Amines are below 10 ppb.

Please be advised that Duni AB does not add anything into the product.

This document of compliance is based on:

- Documentation from suppliers
- Overall migration test
- Specific migration test
- EFSA's Scientific Opinion

This document was issued electronically and is therefore valid without signature.